

- [Home/Statistics](#)
- [About](#)
- [Bulletin](#)
- [Submit Documents](#)
- [Feedback](#)

[MetaCart](#) Sign in to [MyCiteSeerX](#)

■

- Documents
- Authors
- Tables !

text:(hidden AND timestamp AND column AND table) AND

Search

☐ Include Citations | [Advanced Search](#) | [Help](#)

## Searching for text:(hidden AND timestamp AND column AND table) AND year:[1980 TO 2003] – sorted by Number of Citations


Order by: [Relevance](#) | [Year \(Descending\)](#) | [Year \(Ascending\)](#) | [Recency](#)







Try your query at: [Scholar](#) | [Yahoo!](#) | [Ask](#) | [Bing](#) | [CSB](#)




92 documents found, showing 1 through 10. [Next 10](#) →





-  [The Relative Importance of Concurrent Writers and Weak Consistency Models](#)
- by Pete Keleher — 1996 — in Proceedings of the 16th International Conference on Distributed Computing Systems
- ... simultaneous writers. LRC was chosen as the consistency model because it allows false sharing to be *hidden* more...
- [Cited by 96 \(20 self\)](#) – [Add To MetaCart](#)


-  [Dynamic quorum adjustment for partitioned data](#)
  - by Maurice Herlihy — 1987 — ACM Transactions on Database Systems
  - ... “tripwire” mechanism. Each binding in an object’s quorum assignment *table* has a logical *timestamp*...
  - [Cited by 55 \(2 self\)](#) – Add To MetaCart
  
-  [Invariant features for 3-D gesture recognition](#)
  - by Lee W. Campbell, David A. Becker, Ali Azarbayejani, Aaron F. Bobick, Alex Pentland — 1996
  - ... on ten different feature vectors derived from a single set of 18 T'ai Chi gestures listed in *Table 1*. We...
  - [Cited by 49 \(10 self\)](#) – Add To MetaCart
  
-  [Constraint-Based Interoperability of Spatiotemporal Databases](#)
  - by Jan Chomicki, Peter Z. Revesz — 1997 — Geoinformatica
  - ... constraint layer may be completely *hidden* from the user. In this paper we study only data interoperability...
  - [Cited by 45 \(6 self\)](#) – Add To MetaCart
  
-  [Mining Intrusion Detection Alarms for Actionable Knowledge](#)
  - by Klaus Julisch, Marc Dacier — 2002 — In The 8th ACM International Conference on Knowledge Discovery and Data Mining
  - ... requirements: Scalability: IDSs can trigger well over a million alarms per month (cf. the *column* “Max” of *Table*...
  - [Cited by 32 \(1 self\)](#) – Add To MetaCart
  
-  [Multi-threading and Remote Latency in Software DSMs](#)
  - by Kritchalach Thitikamol, Pete Keleher — 1997 — In Proceedings of the 17th International Conference on Distributed Computing Systems
  - ... single remote access. This conclusion is supported by the Block Same Lock *column* in *Table 3*, which shows...
  - [Cited by 25 \(1 self\)](#) – Add To MetaCart
  
-  [Dag Consistent Parallel Simulation: a Predictable and Robust Conservative Algorithm](#)
  - by Wentong Cai, Emmanuelle Letertre, Stephen J. Turner — 1997 — In Proceedings of 11th Workshop on Parallel and Distributed Simulation (PADS'97
  - ... by Logical Processes (LPs) that execute concurrently and communicate by exchanging *timestamped* events [12...

- [Cited by 24 \(11 self\)](#) – Add To MetaCart

-  [A Point-based Temporal Extension of SQL](#)
- by David Toman — 1997 — In International Conference on Deductive and Object-Oriented Databases
- ... the concrete interval-based encoding of *timestamps* which is *hidden* from the user. The approach is based...
- [Cited by 24 \(14 self\)](#) – Add To MetaCart

-  [Effective Web Data Extraction with Standard XML Technologies](#)
- by Jussi Myllymaki — 2001 — In Proceedings of the Tenth International World Wide Web Conference, Hong Kong
- ... and their absolute positions. For instance, an absolute path to the third *table*, first row, and second *column*...
- [Cited by 23 \(2 self\)](#) – Add To MetaCart

-  [Developing a DataBlade for a New Index](#)
- by Rasa Bliujute, Simonas Saltenis, Giedrius Slivinskas, Saltenis Giedrius, Slivinskas Christian, Christian S. Jensen — 1998
- ...-leaf node entry contains four *timestamps*, a flag "Rectangle," a flag "Hidden," and a pointer to a child node...
- [Cited by 22 \(3 self\)](#) – Add To MetaCart

 Showing 1 through 10. [Next 10](#) →



Try your query at: [Scholar](#) | [Yahoo!](#) | [Ask](#) | [MS Live](#) | [CSB](#)

[Home](#) | [Statistics](#) | [About CiteSeer<sup>x</sup>](#) | [Bulletin](#) | [Submit Documents](#) | [Feedback](#) | [Privacy Policy](#) | [CiteSeer<sup>x</sup> Data](#) | [Source Code](#)

© 2007 [The Pennsylvania State University](#)

Developed at and hosted by [The College of Information Sciences and Technology](#) at Penn State

